



# TECHNICAL DATASHEET

REFERENCE : **E5600**

Old référence :

**Description :**

**Aluminized Helmet Cover**  
 Made of aluminized para-aramid fabric 500g/m<sup>2</sup> . A helmet is supposed to be inserted in. The cover includes a neck protection. make possible to wear a face protection shield thanks to a universal visor mount system. The screen can be surrounded by aluminized fabric to enlarge face protection edgeways and downwards. Cover + visor mount system+ Helmet + Aluminized Visor = reference E1000

Dimensions :

Sizes available Unique

neck protection against splashes of molten metal

Recommandation

**The materials of this article do not contain any substance that can harm the health of the user**

This PPE is in conformity with the requirements of the (UE) 2016/425.  
 PPE class III, AET N°033/2017/0375CENTEXBEL

The CE marking on these items means the respect for the essentials requirements of European Directive on PPE based on the standard ISO 13688



**A1 B1 C3 D3 E3 F0**

**ISO 11612**

- A** Limited flame spread (1 à 3)
- B** Convective Heat (1 à 4)
- C** Radiant Heat (1 à 4)
- D** Projection of molten aluminium (1 à 3)
- E** Projection of molten iron (1 à 3)
- F** Contact Heat (1 à 3)

**Use only within the risks covered above**

Maintenance :



A dirty clothe may cause a reduced protection/ Washing is not advised. Do clean with a damp sponge

Storage : Protected from the light and in a dry place, free of moisture, oils, greases...

Recommandation : Do wear appropriate PPEs (aluminized coats, visor etc ...)

Coat/Apron		Sizes	B et C
Lenght	A	S – T2	92-96 cm
120 cm	164-170 cm	M – T3	96-104 cm
130 cm	170-182 cm	L – T4	104-112 cm
140 cm	182-188 cm	XL – T5	112-120 cm
150 cm	188-194 cm	XXL – T6	120-128 cm
160 cm	194-200 cm		

For coveralls, take the greatest size between **B** or **C**. The measures must be taken on the person wearing his work clothes, because this equipment is worn over. In doubt between two sizes choose the larger one.